

Thebe's Rotation Equations

Peyman Parsa

November 15, 2004 - Updated July 2012

www.peymanparsa.com



Constants

$f_R := 2791.826$	Free Rotation Constant
$i_M := 0.127036$	Maximum Influenced Rotation Constant (for planets and moons only)
$i_{St} := 1.0121647 \cdot 10^{-12}$	Start Influenced Rotation Distance Constant
$i_{Ma} := 5.6964797 \cdot 10^{-10}$	Maximum Influenced Rotation Distance Constant
$i_{Sp} := 1.0686849 \cdot 10^{-9}$	Stop Rotation Distance Constant

Facts

	<u>Thebe</u>	<u>Jupiter</u>	<u>Sun</u>
Mass (kg)	$m_m := 7.77 \cdot 10^{17}$	$m_j := 1.8986 \cdot 10^{27}$	$M := 1.9891 \cdot 10^{30}$
Density (g/cm ³)	$\rho_m := 3.00$		$\rho_s := 1.408$
Axis Tilt (deg)	$t_m := 0.001$	$t := 3.13$	$t_s := 7.25$
Semi-major Axis (km)	$a_m := 221900$	$a := 778570000$	
Orbit Eccentricity (deg)	$e_m := 0.0177$	$e_j := 0.09341233$	
Orbit Inclination (deg), with respect to equator	$i_m := 1.07$	$i := 6.09$	

$$\omega_F := f_R \div \sqrt[6]{m_m} \cdot \sqrt[2]{\rho_m}$$

$$\omega_F = 5.04326906$$

Thebe's Free Rotational Speed (per day)

Part 1

Thebe's Influenced Rotation by the influence of the [Jupiter](#)



$$q := a_m \cdot (1 - e_m)$$

$$q = 217972.4 \quad \text{Thebe's Perihelion Distance (km)}$$

$$Q := a_m \cdot (1 + e_m)$$

$$Q = 225827.6 \quad \text{Thebe's Aphelion Distance (km)}$$

$$i_r := \left(\left| \cos\left(\frac{i_m \cdot \pi}{180}\right) \right| + 1 \right) \div 2$$

$$i_r = 0.99991281 \quad \text{Thebe's Orbit Inclination Reduction Factor}$$

$$\omega_{Mi} := \frac{\sqrt[6]{m_m \cdot i_r \div m} \div \sqrt[6]{\rho_m \div i_M}}{\sqrt[3]{M \div m}}$$

$$\omega_{Mi} = 0.01758478 \quad \text{Thebe's Maximum Influenced Rotational Speed by the Jupiter (p.d.)}$$

$$S_t := \frac{\sqrt[6]{m_m \cdot i_r \div m} \div i_{St}}{\sqrt[3]{M \div m}}$$

$$S_t = 2650529926.8 \quad \text{Thebe's Start Influenced Rotation Distance to the Jupiter (km)}$$

$$M_a := \frac{\sqrt[6]{m_m \cdot i_r \div m} \div i_{Ma}}{\sqrt[3]{M \div m}}$$

$$M_a = 4709527.6 \quad \text{Thebe's Maximum Influenced Rotation Distance to the Jupiter (km)}$$

$$S_p := \frac{\sqrt[6]{m_m \cdot i_r \div m} \div i_{Sp}}{\sqrt[3]{M \div m}}$$

$$S_p = 2510349.7 \quad \text{Thebe's Stop Influenced Rotation Distance to the Jupiter (km)}$$

Calculating Thebe's average distance to the Jupiter, if ($q < S_p < Q$)

$$x := \text{if} \left(q < S_p, \text{if} \left(S_p < Q, \frac{S_p - a_m}{e_m}, 0 \right), 0 \right)$$

$x = 0$ X value at Thebe's orbit intersection with S_p Boundary (km)

$$b := a_m \sqrt{1 - e_m^2}$$

$b = 221865.2$ Thebe's Semi-minor Axis (km)

$$y := b \sqrt{a_m^2 - x^2} \div a_m$$

$y = 221865.24$ Y value at the Thebe's orbit intersection with S_p Boundary (km)

$$\theta := \text{atan} \left(\frac{-x}{y} \right) + \frac{\pi}{2}$$

$\theta = 1.57079633$ Half-angle of the Thebe's orbit out of S_p Boundary (rad)

$$P_o := 2 \cdot a_m \cdot \int_0^{\pi} \sqrt{1 - e_m^2 \cdot \sin(\theta)^2} d\theta$$

$P_o = 1394129.61$ Thebe's Orbital Perimeter (km)

$$s_m := a_m \cdot \int_0^{\theta} \sqrt{1 - e_m^2 \cdot \sin(\theta)^2} d\theta$$

$s = 348532.4$ Half of the Thebe's orbit out of S_p Boundary (km)

$$a_a := \text{if} \left[q < S_p, \text{if} \left[S_p < Q, a_m \frac{\int_{\pi - (s \div a_m)}^{\pi} \frac{\sqrt{1 - e_m^2 \cdot \cos(E)^2}}{1 \div (1 - e_m \cdot \cos(E))} dE}{\int_{\pi - (s \div a_m)}^{\pi} \sqrt{1 - e_m^2 \cdot \cos(E)^2} dE} \right], 0 \right], 0$$

$a_a = 0$ Thebe's average distance outside S_p Boundary (km)

$$n := \frac{2 \cdot s}{P_o} \cdot \sqrt{\frac{a_a^3}{a^3}}$$

$$n = 0$$

Temporal ratio of the Thebe's orbit out of S_p Boundary to the whole orbit


$$d := \text{if} \left(q < S_p, \text{if} \left(S_p < Q, \frac{a_a - S_p}{M_a - S_p}, \frac{a_m - S_p}{M_a - S_p} \right), \frac{a_m - S_p}{M_a - S_p} \right)$$

$$d = -1.04059328$$

Thebe's corresponding distance on x axis of the graph


$$\text{Rotation} = \begin{cases} -1 - \frac{0.04}{D - (\sqrt{0.29} - 0.5)} - (\sqrt{0.29} - 0.5) & \text{if } D < 0 \\ \frac{-0.04}{D + (\sqrt{0.29} - 0.5)} + (0.5 + \sqrt{0.29}) & \text{if } 0 \leq D \leq 1 \\ \frac{-D + 1}{S_t - M_a} + 1 & \text{if } 1 < D \end{cases}$$

Non-proportional Rotation Graph



Left end of the Rotation Graph

$$\text{Rotation} \left| \begin{array}{l} -1 - \frac{0.04}{D - (\sqrt{0.29} - 0.5)} - (\sqrt{0.29} - 0.5) \text{ if } D < 0 \\ \frac{-0.04}{D + (\sqrt{0.29} - 0.5)} + (0.5 + \sqrt{0.29}) \text{ if } 0 \leq D \leq 1 \\ \frac{-D + 1}{S_t - M_a} + 1 \text{ if } 1 < D \\ \frac{M_a - S_p}{M_a - S_p} \end{array} \right.$$



$$\omega(d) := \left| \begin{array}{l} -1 - \frac{0.04}{d - (\sqrt{0.29} - 0.5)} - (\sqrt{0.29} - 0.5) \text{ if } d < 0 \\ \frac{-0.04}{d + (\sqrt{0.29} - 0.5)} + (0.5 + \sqrt{0.29}) \text{ if } 0 \leq d \leq 1 \\ \frac{-d + 1}{S_t - M_a} + 1 \text{ if } 1 < d \\ \frac{M_a - S_p}{M_a - S_p} \end{array} \right.$$

$\omega(d) = -1.00144889$ Thebe's corresponding Influenced Rotation by the Jupiter on the Y axis of the graph

$$t_r := \text{if} \left[a_m < M_a, \left(\text{if} \left(\omega_{Mi} > \omega_F, \frac{t_m \cdot \omega_F}{90}, \frac{t_m \cdot \omega_{Mi}}{90} \right) \right), \left(\text{if} \left(\omega(d) \cdot \omega_{Mi} > \omega_F, \frac{t_m \cdot \omega_F}{90}, \frac{t_m \cdot \omega(d) \cdot \omega_{Mi}}{90} \right) \right) \right]$$

$t_r = 0.0000002$ Thebe's Maximum and Free Rotational Speed Reduction by Axis Tilt Degree

$$\omega_{c1} := \text{if} \left[a_m > M_a, \omega(d) \cdot \omega_{Mi} + \omega_F - t_r, \left[\omega(d) \cdot (\omega_{Mi} + \omega_F - t_r) \cdot \text{if} (q < S_p, \text{if} (Q > S_p, n, 0), 1) \right] \right]$$

$\omega_{c1} = 0$ Thebe's end result Influenced Rotation by the Jupiter (p.d.)

Part 2

Thebe's Influenced Rotation by the influence of the Sun



$$q_v := a \cdot (1 - e)$$

$$q = 705841962.2 \quad \text{Thebe/Jupiter's Perihelion Distance to the Sun (km)}$$

$$Q_v := a \cdot (1 + e)$$

$$Q = 851298037.8 \quad \text{Thebe/Jupiter's Aphelion Distance to the Sun (km)}$$

$$i_r := \left(\left| \cos\left(\frac{i \cdot \pi}{180}\right) \right| + 1 \right) \div 2$$

$$i_r = 0.99717824 \quad \text{Thebe/Jupiter's Orbit Inclination Reduction Factor}$$

$$\omega_{Mi} := \frac{\sqrt[6]{m_m \cdot i_r \div M} \div \sqrt[6]{\rho_m}}{i_M}$$

$$\omega_{Mi} = 0.05601562 \quad \text{Thebe's Maximum Influenced Rotational Speed by the Sun (p.d.)}$$

$$S_t := \frac{\sqrt[6]{m_m \cdot i_r \div M}}{i_{St}}$$

$$S_t = 8443159857.4 \quad \text{Thebe's Start Influenced Rotation Distance to the Sun (km)}$$

$$M_a := \frac{\sqrt[6]{m_m \cdot i_r \div M}}{i_{Ma}}$$

$$M_a = 15002016.7 \quad \text{Thebe's Maximum Influenced Rotation Distance to the Sun (km)}$$

$$S_p := \frac{\sqrt[6]{m_m \cdot i_r \div M}}{i_{Sp}}$$

$$S_p = 7996621.2 \quad \text{Thebe's Stop Influenced Rotation Distance to the Sun (km)}$$


$$d := \frac{a - S_p}{M_a - S_p}$$

$d = 109.99712744$ Thebe's corresponding distance to the Sun relative to S_p on the X axis of the graph

$$\text{Rotation} = \begin{cases} -1 - \frac{0.04}{D - (\sqrt{0.29} - 0.5)} - (\sqrt{0.29} - 0.5) & \text{if } D < 0 \\ \frac{-0.04}{D + (\sqrt{0.29} - 0.5)} + (0.5 + \sqrt{0.29}) & \text{if } 0 \leq D \leq 1 \\ \frac{-D + 1}{S_t - M_a} + 1 & \text{if } 1 < D \end{cases}$$

$$\frac{M_a - S_p}{M_a - S_p}$$


Non-proportional Rotation Graph



$$\text{Rotation} = \begin{cases} -1 - \frac{0.04}{D - (\sqrt{0.29} - 0.5)} - (\sqrt{0.29} - 0.5) & \text{if } D < 0 \\ \frac{-0.04}{D + (\sqrt{0.29} - 0.5)} + (0.5 + \sqrt{0.29}) & \text{if } 0 \leq D \leq 1 \\ \frac{-D + 1}{S_t - M_a} + 1 & \text{if } 1 < D \end{cases}$$

$$\frac{M_a - S_p}{M_a - S_p}$$

Left end of the Rotation Graph



$$\omega(d) := \begin{cases} -1 - \frac{0.04}{d - (\sqrt{0.29} - 0.5)} - (\sqrt{0.29} - 0.5) & \text{if } d < 0 \\ \frac{-0.04}{d + (\sqrt{0.29} - 0.5)} + (0.5 + \sqrt{0.29}) & \text{if } 0 \leq d \leq 1 \\ \frac{-d + 1}{S_t - M_a} + 1 & \text{if } 1 < d \\ \frac{M_a - S_p}{M_a - S_p} & \end{cases}$$

$\omega(d) = 0.90940274$ Thebe's corresponding Influenced Rotational Speed by the Sun on Y axis of the graph

$$t_{m2} := t_m + t$$

$t_{m2} = 3.131$ Thebe's Axis Tilt with respect to the Sun (deg)

$$t_r := \text{if} \left(a < M_a, \text{if} \left(\omega_{Mi} > \omega_F, \frac{t_{m2} \cdot \omega_F}{90}, \frac{t_{m2} \cdot \omega_{Mi}}{90} \right), \text{if} \left(\omega(d) \cdot \omega_{Mi} > \omega_F, \frac{t_{m2} \cdot \omega_F}{90}, \frac{t_{m2} \cdot \omega(d) \cdot \omega_{Mi}}{90} \right) \right)$$

$t_r = 0.00177217$ Thebe's Maximum and Free Rotational Speed Reduction by Axis Tilt

$$\omega_2 := \text{if} \left[a < M_a, \omega(d) \cdot (\omega_{Mi} - t_r), \text{if} \left(q < S_t, \omega(d) \cdot \omega_{Mi} - t_r, 0 \right) \right]$$

$\omega_2 = 0.04916859$ **Thebe's end result Influenced Rotation by the Sun (p.d.)**
(Negative number means the reduction amount from Thebe's Free Rotation)

Part 3

Thebe's Total Rotation

$$\omega_s := \sum_{i=1}^2 \omega_i$$

$$\omega_s = 0.04916859 \quad \text{Thebe's Total Rotation (p.d.)}$$

$$T := \text{if} \left(\omega_1 \leq 0, 0, \text{if} \left(t \leq 90, \frac{1}{\omega_s}, \frac{-1}{\omega_s} \right) \right)$$

$$T = 0.0000 \quad \begin{array}{l} \text{Thebe's Sidereal Rotation Period (day)} \\ \text{If (T = 0 , Thebe's Synchronous Tropical Rotation)} \end{array}$$

Observation

$$T_o := 0.0000 \quad \begin{array}{l} \text{Thebe's Sidereal Rotation Period (day)} \\ \text{If (T = 0 , Thebe's Synchronous Tropical Rotation)} \end{array}$$

$$\%Diff := \frac{(T - T_o) \cdot 200}{T + T_o}$$

$$\%Diff = 0.0000 \quad \text{Percentage difference between the calculation and the observation}$$